

KOMEDIE (2025)

LIGHTS

Fresnel: 1000W ArtLighting	18x
Fresnel: 2Kw ARRI	2x
PC: 1000W ArtLighting	40x
PC: 500W ArtLighting	26x
Par 56, 500W	11x
Par 64, cans, only LONG variant	42x
CP62	40x
CP61	20x
CP60	10x
LED Par: Elation FUZE par 175w (RGBW, zoom 8° - 35°)	7x
Flood light: 1000W, symetric, ArtLightning	8x
Strip: Sunstrip 2	5x
LED Strip: Elation six bar 1000 12x 12w (RGBWA+UV)	5x
Profile: ETC S4 25° - 50°	9x
Profile: ETC S4 Junior 25° - 50°	16x
LED Profile: ETC Colour source Spot 25'-50'	6x
Follow spot: Cricket 1116A 1200w	2x
LED Moving head: Elation Platinum 1200 WASH (RGBW, 8° to 77°)	4x
HAZER BaseHazer PRO	1x
SMOKE haze base 1300w	1x
HAZER Magmatic Therma Tour 600	1x
Lighting boards:	
ETC ELEMENT 2 (2uni are permanently occupied)	1x
ETC Colour source 20	1x
floor stands DTS cross	10x
Combo stands 1,6 - 3m	8x
T bar	6x
side lights towers (Booms, 3 positions 0.4 - 2,5m)	10x
dimmer cannels (each 2Kw)	171x

SOUND

PA system speakers and amp.

Front d&b 12S-D	2x
12", 1,4" 48Hz - 18KHz	
Front frontfill d&b 5S	4x
1", 80Hz - 20KHz	
Subwoofer Under the proscenium	4x
d&b 18S	
18", 37Hz - 140Hz	
monitors fixed on the stage	6x
d&b 8S	
8", 1", 48Hz - 20KHz	
front for the balcony	2x
d&b 8S	
8", 1", 48Hz - 20KHz	
effect speaker, behind public	2x
noname, not very usefull :-)	
Amplifer d&b 30D	1x
Amplifer d&b 10D	2x
Extra monitors above the stage	2x
JBL 100W pasive, amplified by Crown	
Active speaker JBL (700+300W)	6x
Pasive speaker YAMAHA CZR 15 (800W)	2x
Sound consoles:	
Digico SD9 Ver. Theatre	1x
stagebox D-RACK 32ch	2x
Allan&Heath QU24	1x
stagebox AR 24/12	1x
Soundcraft M6	1x
Behringer X-touch	1x
Microfones:	
Shure SM58	6x
Shure SM58 S	4x
Shure SM57	4x
Shure Beta 91A	1x
AKG C 451B - kondenzator	4x
AKG P 120 - kondenzator	1x
DPA 4099 , guitar and tube holders	2x
Sennheiser e 604 - drums mic	8x
Sennheiser e 904 - drums mic	2x
Sennheiser e 835 wireless handmike	2x
Sennheiser e 845 wireless handmike	2x
Sennheiser ew100 G4 wireless	2x
Sennheiser ew300 G4 wireless	8x
port cable MKE 1	8x

port cable MKE 2	4x
DI box stereo	2x
DI box mono	4x
Microfon stands high	10x
microfon stands table size	3x
Computer with R1 software	
Show Cue system	
QLab	
Cat 5e cable 50m	1x
Cat 6e cable from regie to the stage	3x
Cat 6e cable 20m	1x
XLR 20m cables	5x
XLR 10m cables	10x
XLR 5m cables	20x
XLR 3m cables	10x
XLR 1m patch cables	20x
XLR 10m multicable 8 lines	2x
XLR 10m multicable 12 lines	1x
DPA-4099	3x

VIDEO

Projector: Vivitek du9000, dlp, 11kANSI	1x
Lens:	
1) Zoom d98-2440, f2.1-2.7 tr:2.4-4.0	
2) Standard d98-1824, f2.17-2.46, tr:1.85-2.4	
Projector: Vivitek du8190z-bk, dlp, 10kANSI	1x
Lens:	
1) Standard d88-st001, wadm82300295, f=25.7-33.7mm/f1.64-1.86/	
2) Long zoom, d88-loz101, wadr73800143, f=52.8-79.1mm/1.85-2.41	
3) Ultrawide, d88-uwz01, wapw80700078, f=11.3-14.1mm/f1.96-2.3	
Show screen 500x900cm, dark grey	1x
Show screen 400x 225cm, white, in frame	
Shutter DMX, blacky	2x
software, resolume ARENA 6	2x
Transmitter + receiver CAT6 - HDMI, 120m, cascade	2x
Transmitter + receiver wireless HDMI, Teradek BOLT 905LT	1x
Camera Panasonic 4K - AG-UX90EJ	1x
Cable HDMI with Ethernet 20m	2x
Cable VGA 20m	1x
Cable CAT5e, 50m	1x
Cable CAT6e, 20m /ethercons/	1x
Cable CAT6a, 2m RJ45	2x
Cable CAT6a, 5m RJ45	2x
Cable CAT6a, 10m RJ45	2x
Cable CAT6a, 20m RJ45	1x
HDMI 2.1, 0,3m	4x
HDMI 2.1, 5m	1x

STAGE

stage is 13,5 x 8,80-10,40	1x
Dance floor black or white (double sided) 13,5 x 8,80m	1x
Stage praktikabl 1x2 m:	
20cm height	8x
40cm height	13x
60cm height	4x
100cm height	3x
stairs up to 80cm	2x
black horizont 2 parts, 10x6m	1x
black horizont 2 parts, 10x5m	1x
black cloth 2x6m	6x
red drop-scene 10x6m (opening to the sides)	1x
flying bar 60ø, 80kg load max	10x
motorized truss - quadro 33, 50ø, 200kg load max	1x
motorized flybar, 60ø, 150kg load	3x
- THERE IS NO SPACE ABOVE THE FLYING BARS	
- MAXIMUM HEIGHT IS 6M IN ALL STAGE AREA	
- LOWEST POSITION OF FLYBARS IS 170cm	

LOGISTIC

Technical elevator	
	height 220
	width 300
	depth (from door to door) 240

2t load

Door size from storage space with elevator into stage

height 220
width 206

Trapdoor, opened by taking of the table

2x

Trapdoor, operated by the handle

1x